



- NOTES:**
- DESIGN INTENT IS TO INSTALL A NEW SEPARATED SANITARY SEWER MAIN AND TWO NEW SEPARATED STORM SEWER MAINS. EACH WILL BE CONNECTED TO COMBINED SEWERS ON MADISON AVENUE AND NORTH AVENUE. FUTURE PHASES ARE TO PROVIDE SANITARY AND STORM SEPARATION ON MADISON AVENUE AND NORTH AVENUE.
 - CONDUCT TEST PIT IN ADVANCE OF ORDERING FERNCO COUPLINGS AND DRAIN MH STA. 11+37.5, 11.5' LT. TO VERIFY LOCATION, ELEVATION AND DIAMETER OF EXISTING 42" COMBINED SEWER AND TO VERIFY NEW MANHOLE INVERT ELEVATIONS.
 - DESIGN INTENT IS TO RAISE ELEVATION OF NEW CATCH BASIN 5+90. INSTALL NEW CATCH BASIN AND FILL ADJACENT LAWN AREA FOR SMOOTH TRANSITION.
 - CONDUCT TEST PIT IN ADVANCE AND PRIOR TO ORDERING PROPOSED CATCH BASIN TO VERIFY LOCATION AND ELEVATION OF EXISTING WATER MAIN AND POTENTIAL CONFLICT.
 - UPON COMPLETION OF UTILITY INSTALLATION ON WINTER STREET, CONTRACTOR SHALL RECLAIM ALL REMAINING PAVEMENT AREAS AND PROVIDE 4" BITUMINOUS PAVED SURFACE. (SEE SHEETS C-11 AND C-12.)



OLVER ASSOCIATES INC.
ENVIRONMENTAL ENGINEERS
290 MAIN STREET WINTERPORT, MAINE

| | | |
|-----------------------------------------------------|----------------------|-------------|
| DATE | ADDITION OR REVISION | |
| DES. BY: DRP/EWH | DR. BY: FLE | CK. BY: MHO |
| TOWN OF SKOWHEGAN, MAINE | | |
| CSO ABATEMENT PHASE 3.2 | | |
| WINTER STREET STORM DRAIN PLAN & PROFILE | | |
| SCALE: AS NOTED | PROJECT NO.: 1293-2 | |
| DATE: DECEMBER, 2013 | SHEET: C-10 | |